

SG1A

Next 2 Page(s) In Document Exempt

23771

16 / 2040 Z

B

ZCZC243

849/162025Z ZFF-3

BT

XXXXX


SG1A




SG1A

SG1A


TOP SECRET 161935Z CITE



IMMEDIATE



INFO: IMMEDIATE



SG1

A

SG1A

A. BX6722

B. FLASH REPORT AFTER PROCESSING

C. TYPE I

D. F.

E. THE FILM ARRIVED IN GOOD PHYSICAL CONDITION WITH UNDEREXPOSURE OF APPROX 1/2 STOP ON ALL FORWARD FRAMES, MEDIUM CONTRAST, GOOD RESOLUTION, WITH NORMAL METERING, AND OPERATIONAL RECORDING.

THE CLOCK ON EVERY OTHER FORWARD FRAME IS IN THE IMAGE AREA. A SLIGHT MINUS DENSITY LINE DOWN CENTER OF AFT FRAMES. OVERLAP

AND CLOCKS IN IMAGE AREA IN FRAMES 476-496. MINUS DENSITY LINE ON FORWARD FRAMES OPPOSITE CLOCK EDGE ON LAST 3RD OF THE MISSION.

TOP SECRET

BT

DCM  
DCOM

SG1A

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1

Next 26 Page(s) In Document Exempt

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1




# KADENA

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1

## TACAN/ILS-4 RWY 05

KADENA AB

OKINAWA APP CON  
235.4 135.9  
KADENA TOWER  
315.8 236.6 126.2  
GND CON  
275.8  
PAR/ASR



TA 18000  
EMERG SAFE ALT 100 NM 2700

Left turn remain within 30 NM  
12,000 • 270° • FL200  
RAD-250 20 NM  
RAD-235 13 NM  
4000 • 095°  
2000 • 054°  
Glide Slope 2.50°


MISSED APPROACH  
At Min Alt climb on 054° to 2000.  
2.0 NM after TACAN right turn:  
intercept RAD-140 and hold.

MIN SAFE ALT 2600

FIELD ELEV 142  
CAUTION  
Construction

LANDING MINIMA		
Str-in-ILS	342 MSL	200-1 or RVR 24
Str-in-TACAN	400 MSL	300-1
*Circling	800 MSL	700-1

\* Circling to East only



## TACAN/ILS-4 RWY 05

26 21 N 122 46 E  
401

KADENA AB

KADENA

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1


# KADENA

## TACAN-2 RWY23

KADENA AB


OKINAWA APP CON  
235.1 135.9  
KADENA TOWER  
213.8 236.6 126.2  
OKINAWA CON  
272.3  
PAA/ASB

KADENA, OKINAWA I. RYUKYU ISLAND



TA 180  
EAST


MISSED APPROACH  
At TACAN climb on  
243° to 2000. At 5.0 NM  
after TACAN left turn to  
intercept RAD. 110 and  
hold.



### LANDING MINIMA

Approach	600 MSL	500 ft
Circling	800 MSL	700 ft

Circling to East only.



## TACAN-2 RWY23

14°21'N 127°46'E

KADENA AB

# KADENA

STAT

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1

Next 10 Page(s) In Document Exempt

Approved For Release 2003/12/19 : CIA-RDP69B00041R000700030017-1